



Metal Protection Tube Thermocouple Assemblies



Shown with Standard Die Cast Aluminum Head

Ordering Information

Thermocouples are offered with the options listed in worksheet below. Create an ordering code by filling in the boxes with the appropriate number and/or letter designation for your requirements, and a part number will be assigned.



Shown with Cast Iron Head

Design Features

- * Widely used in high temperature industrial process heating applications such as furnaces, ovens; and petrochemical and textile applications up to 2200°F (1204°C)
- * Pipe size protection tubes made with schedule 40 pipe in various steel and nickel
- * Optional process mounting bushing welded on protection tube
- * Thermocouple heads are available in aluminum, cast iron or stainless steel. Explosion proof heads are also available in aluminum or stainless steel

Ordering Code: ITCC

Pipe Size Sch. 40 BOX 1

- **H** = 1/2" Pipe (.84" OD · .62" ID) **M** = 3/4" Pipe (1.05" OD · .82" ID)
- N = 1" Pipe (1.31" OD · 1.05" ID)
- $\mathbf{R} = 1-5/8$ " OD · 7/8" ID (Cast Iron Only)
- X = Other (Specify)

Sheath Material BOX 2

- 1 = Carbon Steel (Black Pipe)
- 2 = 304 SS3 = 316 SS
- 4 = 446 SS
- 5 = Cast Iron (1-5/8" OD x 7/8" ID Only)
- 6 = Alloy 601
- X = Other (Specify)

Wire Gauge BOX 4

- **B**= 20 ga.
- C = 14 ga.
- $\mathbf{D} = 8 \text{ ga.}$
- X = Other (Specify)

"L" Dimension BOX 5

(in 6-inch increments)

Cast Iron is available in limited lengths.

Whole inches 12 to 96

Process Mounting Bushing BOX 6

- **0** = No Bushing Required Enter 0 for Cast Iron Tube
- M = 3/4" NPT (For 1/2" pipe only)
- N = 1" NPT (For 1/2 and 3/4" pipe only)
- P = 1-1/4" NPT
- X = Other (Specify)

"U" Dimension BOX 7

Whole inches 01 to 99

Enter 00 for cast iron tube or if no bushing required

Connection Head BOX 8

A = Standard Size

H = Standard Cast

S = Stainless *Note*: All have 1/2" conduit connection (3/4" available).

H = 1/2" Pipe (.84" OD · .62" ID)

Special Requirements BOX 9

X = Specify 0 = None

Calibration Code BOX 3

J = Type J
K = Type K
X = Other (Specifigur Reliable Partners in Temperature Sensing, Heating and Controlling Solutions
Email: info@hkgco.com
WWW.HKGCO.COM
Tel: +1-989-501-9025